

CORRIGENDA

The following list includes corrections to select errors in the *Flora of China* text and illustration volumes, as well as a few additions, all of which were identified prior to the printing of this volume by editors, authors, or readers of the Flora. (For missing names, see the chapter “Names of New Taxa Published Since or Not Included in the *Flora of China*,” p. 91.) Printing errors have only been included below if they present considerable confusion for readers.

Volume: page	Taxon	Error	Correction or addition
2–3: 1	Pteridophytes	In contrast to the 177 genera and 2,136 species recorded from China ...	In contrast to the 177 genera and 2,129 species recorded from China ...
4: ii, 11	Pinaceae	family authors: ... Robert R. Mill	family authors: ... Robert R. Mill, Thomas S. Elias [Footnote for Elias's address (p. 25) should be on p. 11.]
4: 16	<i>Pinus latteri</i>	Pollination May–Apr	Pollination Mar–Apr
4: 47	<i>Abies nephrolepis</i>	basionym reference: Mém. Acad. Imp. Sci. Saint-Pétersbourg (Sav. Etr.) 9: 206. 1859.	basionym reference: Mém. Acad. Imp. Sci. St.-Pétersbourg Divers Savans 9: 260. 1859.
4: 71	<i>Juniperus procumbens</i>	(Siebold ex Endlicher) Miquel	(Endlicher) Siebold ex Miquel [“Siebold ex” should also be removed from basionym and synonym.]
4: 104	<i>Gnetum parvifolium</i>	(Warburg) Chun	(Warburg) W. C. Cheng
4: 109	<i>Gymnotheca involucrata</i>	S. J. Pei	C. Pei
4: 123	<i>Piper boehmerifolium</i>	(Miquel) C. de Candolle in A. de Candolle, Prodr. 16(1): 348. 1868.	(Miquel) Wallich ex C. de Candolle in A. de Candolle, Prodr. 16(1): 348. 1869.
4: 128	<i>Piper umbellatum</i>	synonym: <i>Lepianthes umbellatum</i> (Linnaeus) Rafinesque	synonym: <i>Lepianthes umbellatum</i> (Linnaeus) Rafinesque ex Ramamoorthy
4: 128	<i>Piper umbellatum</i>	synonym: <i>Piper postelsianum</i> Maxiowicz	synonym: <i>Piper postelsianum</i> Maximowicz
4: 133, 135, 137	<i>Chloranthus</i> spp.	Pei	C. Pei
4: 146	<i>Populus tomentosa</i> var. <i>truncata</i>	Acta Phytotax. Sin. 13(3): 95. 1975	Acta Phytotax. Sin. 13(3): 96. 1975
4: 150	<i>Populus purdomii</i> var. <i>rockii</i>	basionym reference: J. Arnold Arbor. 13: 368. 1932.	basionym reference: J. Arnold Arbor. 13: 386. 1932.
4: 158	<i>Populus yatungensis</i>	(C. Wang & P. Y. Fu) C. Wang & S. L. Tung, Fl. Reipubl. Popularis Sin. 20(2): 60. 1984.	(C. Wang & P. Y. Fu) C. Wang & S. L. Tung in C. Wang et al., Fl. Xizang. 1: 422. 1983.
4: 161	<i>Populus</i> sect. <i>Turanga</i>	Mém. Acad. Imp. Sci. Saint-Pétersbourg (Sav. Etr.) 7: 498. 1851.	Mém. Acad. Imp. Sci. St.-Pétersbourg Divers Savans 7: 498. 1854.
4: 292	<i>Carpinus cordata</i> var. <i>chinensis</i>	synonym: <i>Carpinus chinensis</i> (Franchet) Pei	synonym: <i>Carpinus chinensis</i> (Franchet) C. Pei
4: 295	<i>Carpinus kawakamii</i>	Fl. May–Jan	Fl. May–Jun
4: 298	<i>Carpinus purpurinervis</i>	bracts ... ca. 1.5 × 7 mm	bracts ... ca. 15 × 7 mm
4: 307	<i>Betula jiulungensis</i>	Hu ex P. C. Li, Acta Phytotax. Sin. 17(1): 90. 1979.	P. C. Li ex Q. Lin, Bull. Bot. Res., Harbin 27: 267. 2007. [1979 name not validly published]

Volume: page	Taxon	Error	Correction or addition
4: 311	<i>Betula microphylla</i>	Mém. Acad. Imp. Sci. St.-Pétersbourg Divers Savans 2: 506. 1835.	Mém. Acad. Imp. Sci. St.-Pétersbourg Divers Savans 2: 606. 1835.
4: 326	<i>Castanopsis boisii</i>	synonym: <i>Castanopsis hamata</i> Duanmu	synonym: <i>Castanopsis hamata</i> M. S. Duan
4: 326	<i>Castanopsis boisii</i>	synonym: <i>C. megaphylla</i> Hu (1948 [1949]) ...	synonym: <i>C. megaphylla</i> Hu (1948 [1949]) ...
4: 329	<i>Castanopsis rufotomentosa</i>	leaf blade ... 10–20 cm × 2–4 mm	leaf blade ... 10–20 × 2–4 cm
4: 330	<i>Castanopsis carlesii</i> var. <i>carlesii</i>	synonym: <i>C. cuspidata</i> var. <i>longicaudata</i>	synonym: <i>C. cuspidata</i> var. <i>longicaudata</i>
4: 331	<i>Castanopsis rockii</i>	Nuts ... ca. 1.2 mm in diam.	Nuts ... ca. 1.2 cm in diam.
4: 332	<i>Castanopsis wattii</i>	Câtaigniers 421. 1929.	Châtaigniers, 421. 1929.
4: 332	<i>Castanopsis wattii</i>	basionym reference: Fl. Brit. India 6: 663. 1888.	basionym reference: Fl. Brit. India 5: 623. 1888.
4: 339, 364	<i>Lithocarpus arcaulus</i>	<i>arcaulus</i>	<i>arcuala</i>
4: 371, 375	<i>Quercus guajavifolia</i>	<i>guajavifolia</i>	<i>guyavifolia</i>
4: 372	<i>Quercus acutissima</i>	Young branchlets 1.5–2 mm	Young branchlets 1.5–2 mm in diam.
4: 390	<i>Cyclobalanopsis hypophaea</i>	Petiole .5–10 mm	Petiole 0.5–10 mm
4: 395	<i>Cyclobalanopsis ningangensis</i>	Cupule ... ca. 5 m	Cupule ... ca. 5 mm
4I: 117	<i>Gnetum parvifolium</i>	(Warburg) Chun	(Warburg) W. C. Cheng
4I: 366, 367	<i>Quercus guajavifolia</i>	<i>guajavifolia</i>	<i>guyavifolia</i>
5: 44	<i>Ficus curtipes</i>	synonym: <i>Ficus obtusifolia</i> ... not Humboldt et al. (1817).	synonym: <i>Ficus obtusifolia</i> ... not Kunth (1817).
5: 53	<i>Ficus nerifolia</i>	Gall flowers ... ovary ovoid. Female and gall flowers ... ovary globose	Gall flowers ... ovary ovoid. Female and gall flowers ... female flowers: ovary globose
5: 58	<i>Ficus undulata</i>	Female figs ...	Figs ...
5: 60	<i>Ficus hirta</i>	Male and gall flowers sessile or shortly pedicellate ... Male flowers: pedicellate	Male and gall flowers sessile or shortly pedicellate ... Male flowers pedicellate or sessile
5: 94	<i>Pilea myriantha</i>	later homonym	<i>Pilea spicata</i> C. J. Chen & A. K. Monro, Novon 17: 26. 2007.
5: 100	<i>Pilea verrucosa</i>	later homonym	<i>Pilea gracilis</i> Handel-Mazzetti, Symb. Sin. 7: 136. 1929.
5: 101	<i>Pilea rotundinucula</i>	leaf blade ... 5.5–22 × 1.1–75 cm	leaf blade ... 5.5–22 × 1.1–7.5 cm
5: 104	<i>Pilea martini</i>	S Gangsu	S Gansu
5: 112	<i>Pilea bambusifolia</i>	Stems ... 20–30 mm tall	Stems ... 20–30 cm tall

Volume: page	Taxon	Error	Correction or addition
5: 121	<i>Lecanthus peduncularis</i>	(Wallich ex Royle) Weddell in Candolle	(Royle) Weddell in Candolle [“Wallich ex” should also be removed from basionym]
5: 135	<i>Elatostema laevissimum</i>	Female inflorescences ... peduncle 0–1	Female inflorescences ... peduncle 0–1 mm
5: 137	<i>Elatostema lineolatum</i>	Inflorescences sessile. Male inflorescences ... pedunculate	[delete pedunculate]
5: 146	<i>Elatostema stewardii</i>	NW Zhejiang.	NW Zhejiang.
5: 162	<i>Elatostema brachyodontum</i>	synonym: <i>Elatostema ficoides</i> (Wallich) Weddell ...	synonym: <i>Elatostema ficoides</i> Weddell ...
5: 169	<i>Boehmeria macrophylla</i> var. <i>scabrella</i>	(Roxburgh) D. G. Long	(Weddell) D. G. Long
5: 169	<i>Boehmeria macrophylla</i> var. <i>scabrella</i>	synonymy: <i>Urtica scabrella</i> Roxburgh, Fl. Ind., ed. 1832, 3: 581. 1832; <i>Boehmeria platyphylla</i> var. <i>scabrella</i> (Roxburgh) Weddell.	synonymy: <i>Boehmeria platyphylla</i> var. <i>scabrella</i> Weddell in Candolle, Prodr. 16(1): 211. 1869, based on <i>Urtica scabrella</i> Roxburgh, Fl. Ind. 3: 581. 1832, not Hornemann ex Schrank (1822).
5: 172	<i>Boehmeria japonica</i>	stipules ... 8–1.2 mm	stipules ... 0.8–1.2 mm
5: 177	<i>Pouzolia zeylanica</i> var. <i>microphylla</i>	(Weddell) W. T. Wang in W. T. Wang & C. J. Chen, Fl. Reipubl. Popularis Sin. 23(2): 365. 1995.	(Weddell) Masamune in Kudo & Masamune, Rep. (Annual) Taihoku Bot. Gard. 2: 37. 1932.
5: 177	<i>Pouzolia zeylanica</i> var. <i>angustifolia</i>	(Wight) C. J. Chen, comb. nov.	(Wight) J. Sinclair, Bull. Bot. Soc. Bengal 9(2): 107. 1957.
5: 178	<i>Gonostegia hirta</i>	(Blume ex Hasskarl)	(Blume)
5: 178	<i>Gonostegia hirta</i>	synonymy: <i>Pouzolia hirta</i> Blume ex Hasskarl in Teijsmann & Binnendijk, Cat. Hort. Bot. Bogor. 80. 1844, based on <i>Urtica hirta</i> Blume, Bijdr. Fl. Ned. Ind. 495. 1826, not Swartz (1797); <i>Driessenia sinensis</i> H. Léveillé; <i>Memorialis hirta</i> (Blume ex Hasskarl) Weddell.	synonymy: <i>Urtica hirta</i> Blume, Fl. Ned. Ind. 495. 1826; <i>Driessenia sinensis</i> H. Léveillé; <i>Memorialis hirta</i> (Blume) Weddell; <i>Pouzolia hirta</i> (Blume) Hasskarl.
5: 179	<i>Sarcochlamys</i>	synonym: <i>Sphearotylos</i>	synonym: <i>Sphaerotylos</i>
5: 182	<i>Oreocnide rubescens</i>	(Blume) Miquel in Zollinger, Syst. Verz. 101. 1854.	(Blume) Miquel, Ann. Mus. Bot. Lugduno-Batavi 4(2): 306. 1869.
5: 187	<i>Debregeasia orientalis</i>	This species is very common in eastern China; it is a source of high-quality fiber.	This species is very common; it is a source of high-quality fiber.
5: 188	<i>Maoutia puya</i>	basionym: <i>Boehmeria puya</i> W. J. Hooker, Hooker's J. Bot. Kew Gard. Misc. 3: 316. 1851.	basionym: <i>Boehmeria puya</i> Hooker, Hooker's J. Bot. Kew Gard. Misc. 1: 26. 1849.
5: 190	<i>Hydrobryum griffithii</i>	basionym: <i>Podostemon griffithii</i>	basionym: <i>Podostemum griffithii</i>
5: 197	<i>Helicia falcata</i>	C. Y. Wu in C. Y. Wu & H. W. Li, Fl. Yunnan. 1: 32. 1977	C. Y. Wu in Nan Jiang et al., Nordic J. Bot. 29: 61. 2011.
5: 230	<i>Scurrula parasitica</i> var. <i>graciliflora</i>	(Roxburgh ex J. H. Schultes) H. S. Kiu in C. Y. Wu & H. W. Li	(Roxburgh ex Schultes & J. H. Schultes) H. S. Kiu

Volume: page	Taxon	Error	Correction or addition
5: 230	<i>Scurrula parasitica</i> var. <i>graciliflora</i>	basionym: <i>Loranthus graciliflorus</i> Roxburgh ex J. H. Schultes in Roemer & Schultes, Syst. Veg. 7: 99. 1829 [" <i>gracilifolius</i> ," typogr. error, see index, p. 1785]	basionym: <i>Loranthus graciliflorus</i> Roxburgh ex Schultes & J. H. Schultes, Syst. Veg. 7: 99. 1829 [" <i>gracilifolius</i> ," typogr. error, see addenda, p. 1612, and index, p. 1785]
5: 231	<i>Scurrula chingii</i> var. <i>yunnanensis</i>	H. S. Kiu in C. Y. Wu & H. W. Li	H. S. Kiu
5: 234	<i>Taxillus caloreas</i> var. <i>fargesii</i>	(Lecomte) H. S. Kiu in C. Y. Wu & H. W. Li	(Lecomte) H. S. Kiu
5: 237	<i>Taxillus sutchuenensis</i> var. <i>duclouxii</i>	(Lecomte) H. S. Kiu in C. Y. Wu & H. W. Li	(Lecomte) H. S. Kiu
5: 237	<i>Taxillus chinensis</i>	synonym: <i>L. estipitatus</i> (Stapf) Danser	synonym: <i>L. estipitatus</i> Danser
5: 250	<i>Asarum himalaicum</i>	Monatsber. Konigl. Preuss. Akad. Wiss. Berlin 1: 585. 1859.	Monatsber. Königl. Preuss. Akad. Wiss. Berlin 1859: 585. 1860.
5: 255	<i>Asarum porphyronotum</i>	cataphylls ... 1–2 × 8–1 cm	cataphylls ... 1–2 cm × 8–10 mm
5: 259	<i>Aristolochia</i>	6b. Leaf blade adaxially	6b. Leaf blade abaxially
5: 262	<i>Aristolochia griffithii</i>	leaf blade ... 10–28 × 8–2.6 cm	leaf blade ... 10–28 × 8–26 cm
5: 263	<i>Aristolochia kunmingensis</i>	Acta Phytotax. Sin. 27: 29. 1989.	Acta Phytotax. Sin. 27: 296. 1989.
5: 274	<i>Balanophora indica</i>	1946	1846
5: 286	<i>Polygonum</i> sect. <i>Persicaria</i>	(Miller) Meisner	(Linnaeus) Meisner
5: 286	<i>Polygonum</i> sect. <i>Persicaria</i>	basionym: <i>Persicaria</i> Miller, Gard. Dict. Abr., ed. 4, [1054]. 1754.	basionym + synonym: <i>Polygonum</i> [unranked] <i>Persicaria</i> Linnaeus, Sp. Pl. 1: 360. 1753; <i>Persicaria</i> (Linnaeus) Miller.
5: 288	<i>Polygonum barbatum</i>	Perianth ... 5-parted, elliptic	Perianth ... 5-parted; tepals elliptic
5: 293	<i>Polygonum</i> sect. <i>Bistorta</i>	(Miller) D. Don	(Linnaeus) D. Don
5: 293	<i>Polygonum</i> sect. <i>Bistorta</i>	basionym: <i>Bistorta</i> Miller, Gard. Dict. Abr., ed. 4, [194]. 1754.	basionym + synonym: <i>Polygonum</i> [unranked] <i>Bistorta</i> Linnaeus, Sp. Pl. 1: 360. 1753; <i>Bistorta</i> (Linnaeus) Miller.
5: 301	<i>Polygonum chinense</i> var. <i>paradoxum</i>	Fl. Reipubl. Popularis Sin. 25(1): 57. 1998.	Vasc. Pl. Hengduan Mount. 1: 365. 1993.
5: 325	<i>Calligonum leucocladum</i>	1851	1854
5: 330	<i>Attraphaxis pyrifolia</i>	Mém. Acad. Imp. Sci. Saint Pétersbourg Divers Savans 7: 483. 1851.	Mém. Acad. Imp. Sci. St.-Pétersbourg Divers Savans 7: 483. 1854.
5: 348	<i>Rheum uninerve</i>	filaments ... less than 1 cm	filaments ... less than 1 mm
5: 359	<i>Krascheninnikovia</i> <i>ceratooides</i>	synonym: <i>Krascheninnikovia compacta</i> (Losina-Losinskaja) Grubov	[delete: synonym is accepted name in treatment, species no. 4]
5: 359	<i>Krascheninnikovia</i> <i>ceratooides</i>	synonym: <i>Ceratiodes latens</i>	synonym: <i>Ceratiodes latens</i>
5: 360	<i>Krascheninnikovia</i> <i>compacta</i> var. <i>compacta</i>	synonym: <i>Ceratiodes compacta</i>	synonym: <i>Ceratiodes compacta</i>

Volume: page	Taxon	Error	Correction or addition
5: 395	<i>Haloxylon</i>	1851	1854
5: 427	<i>Alternanthera pungens</i>	Humboldt et al.	Kunth in Humboldt & Bonpland
5: 445	<i>Anredera</i>	synonym: <i>Boussingaultia</i> Humboldt et al.	synonym: <i>Boussingaultia</i> Kunth.
5: 445	<i>Anredera scandens</i>	(Linnaeus) Moquin-Tandon in Candolle, Prodr. 13(2): 230. 1849	(Linnaeus) Smith, Cycl. 39: Anredera n. 1. 1818.
5I: 95	<i>Pilea myriantha</i>	later homonym	<i>Pilea spicata</i> C. J. Chen & A. K. Monro
5I: 98, 107	<i>Pilea verrucosa</i>	later homonym	<i>Pilea gracilis</i> Handel-Mazzetti
5I: 118	<i>Lecanthus peduncularis</i>	(Wallich ex Royle) Weddell	(Royle) Weddell
5I: 158	<i>Boehmeria macrophylla</i> var. <i>scabrella</i>	(Roxburgh) D. G. Long	(Weddell) D. G. Long
5I: 165	<i>Pouzolzia zeylanica</i> var. <i>microphylla</i>	(Weddell) W. T. Wang	(Weddell) Masamune
5I: 166	<i>Gonostegia hirta</i>	(Blume ex Hasskarl) Miquel	(Blume) Miquel
5I: 197	<i>Scurrula parasitica</i> var. <i>graciliflora</i>	(Roxburgh ex J. H. Schultes) H. S. Kiu	(Roxburgh ex Schultes & J. H. Schultes) H. S. Kiu
5I: 352	<i>Anredera scandens</i>	(Linnaeus) Moquin-Tandon	(Linnaeus) Smith
6: 6	<i>Drymaria cordata</i>	(Linnaeus) Schultes	(Linnaeus) Willdenow ex Schultes
6: 26	<i>Stellaria decumbens</i> var. <i>pulvinata</i>	1875	1874
6: 37	<i>Cerastium arvense</i> subsp. <i>strictum</i>	synonym: <i>C. strictum</i> Haenke (1789), not Linnaeus (1753).	synonym: <i>C. strictum</i> sensu Haenke (1789), not Linnaeus (1753).
6: 61	<i>Arenaria longiseta</i>	C. Y. Wu in C. Y. Wu et al.	C. Y. Wu ex Z. Xuan
6: 77	<i>Silene aprica</i>	Ind. Sem. Hort. Petrop. 38. 1835.	Index Sem. Hort. Petrop. 1: 38. 1835.
6: 115	Nymphaeaceae	family authors: ... John H. Wiersema	family authors: ... John H. Wiersema, Donald Padgett
6: 143	<i>Beesia deltophylla</i>	C. Y. Wu	C. Y. Wu ex P. K. Hsiao
6: 144	<i>Cimicifuga japonica</i>	distribution: ... Hainan	[delete Hainan] (see J. P. Luo & Q. Yuan, J. Trop. Subtrop. Bot. 20: 229. 2012)
6: 161	<i>Aconitum brevicalcaratum</i> var. <i>parviflorum</i>	Chen & Liu	F. H. Chen & Y. Liu
6: 161	<i>Aconitum scaposum</i>	Franchet in Morot	Franchet, J. Bot. (Morot)
6: 162	<i>Aconitum cavaleriei</i> var. <i>aggregatifolium</i>	(Chang ex W. T. Wang) W. T. Wang	(Chang ex W. T. Wang & P. K. Hsiao) W. T. Wang
6: 162	<i>Aconitum cavaleriei</i> var. <i>aggregatifolium</i>	basionym: <i>Aconitum aggregatifolium</i> Chang ex W. T. Wang in W. T. Wang & P. K. Hsiao	basionym: <i>Aconitum aggregatifolium</i> Chang ex W. T. Wang & P. K. Hsiao

Volume: page	Taxon	Error	Correction or addition
6: 174	<i>Aconitum pseudohuiliense</i>	Chang ex W. T. Wang in W. T. Wang & P. K. Hsiao	Chang ex W. T. Wang & P. K. Hsiao
6: 185	<i>Aconitum stramineiflorum</i>	Chang ex W. T. Wang in W. T. Wang & P. K. Hsiao	Chang ex W. T. Wang & P. K. Hsiao
6: 185	<i>Aconitum nutantiflorum</i>	Chang ex W. T. Wang in W. T. Wang & P. K. Hsiao	Chang ex W. T. Wang & P. K. Hsiao
6: 185	<i>Aconitum pendulicarpum</i>	Chang ex W. T. Wang in W. T. Wang & P. K. Hsiao	Chang ex W. T. Wang & P. K. Hsiao
6: 185	<i>Aconitum refracticarpum</i>	Chang ex W. T. Wang in W. T. Wang & P. K. Hsiao	Chang ex W. T. Wang & P. K. Hsiao
6: 222	<i>Aconitum polycarpum</i>	Chang ex W. T. Wang in W. T. Wang & P. K. Hsiao	Chang ex W. T. Wang & P. K. Hsiao
6: 264	<i>Delphinium thibeticum</i>	Bull. Soc. Bot. France 5: 498. 1904.	Bull. Soc. Bot. France 5: 489. 1904.
6: 278	<i>Aquilegia</i>	2a. Petal spur ... basally	2a. Petal spur ... apically
6: 278	<i>Aquilegia</i>	2b. Petal spur basally	2b. Petal spur apically
6: 278	<i>Aquilegia</i>	11a. ... spur base incurved	11a. ... spur apex incurved
6: 278	<i>Aquilegia</i>	11b. ... spur base incurved	11b. ... spur apex incurved
6: 279	<i>Aquilegia rockii</i>	spur ... straight or basally slightly incurved	spur ... straight or apically slightly incurved
6: 279	<i>Aquilegia parviflora</i>	spur ... straight or basally slightly bent	spur ... straight or apically slightly bent
6: 279	<i>Aquilegia viridiflora</i>	spur ... straight or basally slightly incurved	spur ... straight or apically slightly incurved
6: 280	<i>Aquilegia lactiflora</i>	spur ... straight or basally slightly incurved	spur ... straight or apically slightly incurved
6: 280	<i>Aquilegia oxysepala</i>	spur ... basally incurved into a hook	spur ... apically incurved into a hook
6: 280	<i>Aquilegia yabeana</i>	spur ... basally incurved into a hook	spur ... apically incurved into a hook
6: 280	<i>Aquilegia incurvata</i>	spur ... basally coiled	spur ... apically coiled
6: 281	<i>Aquilegia atrovinosa</i>	spur ... basally incurved	spur ... apically incurved
6: 281	<i>Aquilegia japonica</i>	spur ... basally incurved into a hook	spur ... apically incurved into a hook
6: 281	<i>Aquilegia sibirica</i>	spur ... basally incurved	spur ... apically incurved
6: 281	<i>Aquilegia glandulosa</i>	spur ... basally conspicuously incurved	spur ... apically conspicuously incurved
6: 290	<i>Thalictrum foeniculaceum</i>	1835	1833
6: 318	<i>Anemone rupicola</i>	1835–1844	1844
6: 320	<i>Anemone cathayensis</i>	Kitagawa, Lin. Fl. Manshur. 213. 1939.	Kitagawa ex Ziman & Kadota, J. Jap. Bot. 81(1): 7. 2006.

Volume: page	Taxon	Error	Correction or addition
6: 322	<i>Anemone demissa</i>	–4600 m	–5000 m
6: 322	<i>Anemone demissa</i> var. <i>villosissima</i>	–4000 m	–5000 m
6: 323	<i>Anemone imbricata</i>	Sepals ... 8–13 × 4–8 cm	Sepals ... 8–13 × 4–8 mm
6: 330	<i>Pulsatilla chinensis</i>	basionym date: 1831	basionym date: 1833
6: 403	<i>Ranunculus pegaeus</i>		addition to distribution: Sichuan (specimen ID by W. T. Wang)
6: 438	<i>Ceratocephala falcata</i>	synonym: <i>Ceratocephala falcata</i> var. <i>orthoceras</i> (de Candolle) Aitchison & Hemsley	[delete: synonym not validly published]
6I: 1	<i>Drymaria cordata</i>	(Linnaeus) Schultes	(Linnaeus) Willdenow ex Schultes
6I: 134, 196	<i>Aconitum polycarpum</i>	Chang ex W. T. Wang	Chang ex W. T. Wang & P. K. Hsiao
6I: 145	<i>Aconitum caudatum</i> var. <i>aggregatifolium</i>	(Chang ex W. T. Wang) W. T. Wang	(Chang ex W. T. Wang & P. K. Hsiao) W. T. Wang
6I: 154	<i>Aconitum pseudohuiliense</i>	Chang ex W. T. Wang	Chang ex W. T. Wang & P. K. Hsiao
6I: 157	<i>Aconitum nutantiflorum</i>	Chang ex W. T. Wang	Chang ex W. T. Wang & P. K. Hsiao
6I: 165	<i>Aconitum pendulicarpum</i>	Chang ex W. T. Wang	Chang ex W. T. Wang & P. K. Hsiao
6I: 165	<i>Aconitum stramineiflorum</i>	Chang ex W. T. Wang	Chang ex W. T. Wang & P. K. Hsiao
6I: 169, 170	<i>Aconitum refracticarpum</i>	Chang ex W. T. Wang	Chang ex W. T. Wang & P. K. Hsiao
6I: 288	<i>Anemone cathayensis</i>	Kitagawa	Kitagawa ex Ziman & Kadota
7: 49, 51	Magnoliaceae (checklist): <i>Magnolia gioi</i>	<i>Magnolia gioi</i> (A. Chevalier) Nooteboom, comb. nov. Basionym: <i>Talauma gioi</i> A. Chevalier, Bull. Écon. Indochine, n.s., 21: 790. 1918.	[The recommendation of the Committee for Vascular Plants (Brummitt, Taxon 59: 1276–1277. 2010) to treat “ <i>Talauma gioi</i> ” (Magnoliaceae) as not validly published was approved by the General Committee in its 11th report (Barrie, Taxon 60: 1212. 2011), which was ratified by the XVIII IBC in Melbourne in 2011. Thus, “ <i>Magnolia gioi</i> ” (A. Chevalier) Nooteboom, Fl. China 7: 49. 2008” was not validly published.]
7: 51, 75	<i>Yulania stellata</i>	<i>Yulania stellata</i> (Maximowicz) N. H. Xia, comb. nov. Basionym: <i>Magnolia stellata</i> Maximowicz, Bull. Acad. Imp. Sci. Saint-Pétersbourg, Sér. 3, 17: 418. 1872.	[The cited basionym <i>Magnolia stellata</i> itself is a new combination based on <i>Buergeria stellata</i> Siebold & Zuccarini (1845), so “ <i>Yulania stellata</i> (Maximowicz) N. H. Xia, Fl. China 7: 75. 2008” was not validly published.]
7: 78, 89	<i>Michelia gioi</i> (based on <i>Talauma gioi</i>)	Not validly published. [For further explanation, see comment for <i>Magnolia gioi</i> above.]	[Name for species no. 37 should be as follows:] <i>Michelia hypolampra</i> Dandy, J. Bot. 66: 321. 1928. synonymy: <i>Magnolia hypolampra</i> (Dandy) Figlar; <i>Michelia hedyosperma</i> Y. W. Law.

Volume: page	Taxon	Error	Correction or addition
7: 437, 445	<i>Capparis masakai</i>	<i>masakai</i>	<i>masaikai</i>
7: 445	<i>Capparis masakai</i>	synonym: <i>Capparis sikkimensis</i> ... subsp. <i>masakai</i>	synonym: <i>Capparis sikkimensis</i> ... subsp. <i>masaikai</i>
7I: 105	<i>Michelia gioi</i>	<i>Michelia gioi</i> (A. Chevalier) Sima & Hong Yu	<i>Michelia hypolampra</i> Dandy
8: 1	Brassicaceae	family authors: ... Ihsan A. Al-Shehbaz	family authors: ... Ihsan A. Al-Shehbaz, Vladimir I. Dorofeyev [Footnote for Dorofeyev's address (p. 163) should be on p. 1.]
8: 92	<i>Cardamine violacea</i>	(D. Don) Wallich ex J. D. Hooker & Thomson, J. Proc. Linn. Soc. 5: 144. 1861.	(D. Don) Wallich, Numer. List no. 4782. 1831.
8: 179	<i>Sisymbrium orientale</i>	Sp. Pl. 2: 666. 1753.	Cent. Pl. 2: 24. 1756.
8: 201	<i>Drosera peltata</i>	Sp. Pl. 1: 1546. 1797	Sp. Pl., ed. 4°, 1(2): 1546. 1797, nom. illeg. hom.
8: 202	Crassulaceae	family authors: ... Hideaki Ohba	family authors: ... Hideaki Ohba, Michael G. Gilbert [Footnote for Gilbert's address (p. 203) should be on p. 202.]
8: 250	<i>Sedum sarmentosum</i>	1838	1833
8: 275	<i>Astilbe rubra</i>	J. D. Hooker	J. D. Hooker & Thomson
8: 297, 298, 305, 306, 308, 309, 310, 311, 312, 313, 314, 315, 320, 321, 322, 323, 324, 327, 330, 331, 336, 337, 339, 340, 341, 342, 343, 344	<i>Saxifraga</i> treatment	H. Smith	Harry Smith
8: 351	<i>Chrysosplenium macrophyllum</i>	Seeds ... ca. 0.7 m	Seeds ... ca. 0.7 mm
8: 356	<i>Chrysosplenium pilosum</i>	Cauline ... petiole ca. 3.5 m	Cauline ... petiole ca. 3.5 mm
8: 429, 442	<i>Ribes longiracemosum</i>	<i>longiracemosum</i>	<i>longeracemosum</i>
8I: ii			Ihsan A. Al-Shehbaz should be included in the list of Illustrators.
8I: 182	<i>Astilbe rubra</i>	J. D. Hooker	J. D. Hooker & Thomson
8I: 196, 197, 202, 205, 206, 208, 210, 211, 215, 217, 223, 225, 233, 235, 236	<i>Saxifraga</i> treatment	H. Smith	Harry Smith

Volume: page	Taxon	Error	Correction or addition
8I: 318	<i>Ribes laurifolium</i> var. <i>laurifolium</i>	<i>Ribes laurifolium</i> var. <i>laurifolium</i> [listed incorrectly for 1–3]	<i>Ribes latifolia</i> Janczewski
8I: 318	<i>Ribes longiracemosum</i> var. <i>longiracemosum</i>	<i>Ribes longiracemosum</i> var. <i>longiracemosum</i>	<i>Ribes longeracemosum</i> var. <i>longeracemosum</i>
9: ii, 46	Rosaceae	Steven A. Spongberg	Stephen A. Spongberg
9: 4, 8, 9, 12, 15	<i>Pittosporum ternstroemoides</i> , <i>P. podocarpifolium</i> , <i>P. reflexisepalum</i> , <i>P. calcicola</i> , <i>P. angustilimbum</i> , <i>P. johnstonianum</i> var. <i>glomerulatum</i>	C. Y. Wu in C. Y. Wu & H. W. Li	C. Y. Wu in W. C. Yin
9: 6, 8	<i>Pittosporum membranifolium</i> , <i>P. buxifolium</i> , and <i>P. longicarpum</i>	... ex W. Q. Yin	... ex W. C. Yin
9: 15	<i>Pittosporum daphniphyloides</i> var. <i>adaphniphyloides</i>	(Hu & F. T. Wang) W. T. Wang	(H. H. Hu & F. T. Wang) W. T. Wang
9: 18	Hamamelidaceae	6b. petals white or absent	[delete: these genera do not have petals]
9: 22	<i>Liquidambar</i>	1a. and 1b. calyx teeth	1a. and 1b. staminodes
9: 34	<i>Eustigma stellatum</i>	K. M. Feng ex C. Y. Wu	K. M. Feng ex H. T. Chang & C. Y. Wu
9: 35	<i>Corylopsis</i>	Fl. Jap. 1: 45. 1835.	Fl. Jap. 1: 45. Jan 1836.
9: 61	<i>Spiraea dasyantha</i>	1835	1833
9: 69	<i>Spiraea mongolica</i>	Petals ... 2–4 m	Petals ... 2–4 mm
9: 75	<i>Sorbaria</i>	(Seringe ex Candolle) A. Braun	(Seringe) A. Braun [“ex Candolle” should also be removed from basionym]
9: 109	<i>Pyracantha fortuneana</i>	synonym: <i>Pyracantha yunnanensis</i> Chittenden	synonymy: <i>Pyracantha crenulata</i> (D. Don) M. Roemer var. <i>yunnanensis</i> M. Vilmorin ex Mottet; <i>P. gibbsii</i> A. B. Jackson var. <i>yunnanensis</i> (M. Vilmorin ex Mottet) A. Osborn; <i>P. yunnanensis</i> (M. Vilmorin ex Mottet) Chittenden
9: 109	<i>Pyracantha atalantoides</i>	synonym: <i>Crataegus pyracantha</i> Hemsley	synonym: <i>Crataegus pyracantha</i> (Linnaeus) Medicus
9: 110	<i>Pyracantha inermis</i> and throughout	Vidal	J. E. Vidal
9: 112	<i>Crataegus pinnatifida</i>	1835	1833
9: 116	<i>Crataegus altaica</i>	basionym reference: Arb. Brit. 2: 825. 1838.	basionym reference: Arb. Brit. 2: 823. 1838.
9: 177	<i>Pyrus betulifolia</i>	Mem. Acad. Imp. Sci. St.-Pétersbourg Divers Savans 20: 101. 1835.	Mem. Acad. Imp. Sci. St.-Pétersbourg Divers Savans 2: 101. 1835.
9: 185	<i>Malus spectabilis</i>	comment: ... var. <i>riversii</i> and var. <i>albipena</i>	comment: ... var. <i>riversii</i> and f. <i>albiplena</i>

Volume: page	Taxon	Error	Correction or addition
9: 216	<i>Rubus mesogaeus</i> var. <i>mesogaeus</i>	synonym: <i>Rubus occidentalis</i> H. Léveillé	[delete: only <i>Rubus occidentalis</i> sensu H. Léveillé, not Linnaeus]
9: 221	<i>Rubus coreanus</i>	Leaves ... 5-foliolate, rarely 3-foliolate	Leaves ... 5- or 7-foliolate, rarely 3-foliolate
9: 236	<i>Rubus crataegifolius</i>	1835	1833
9: 276, 278	<i>Rubus tsangorum</i>	<i>tsangorum</i>	<i>tsangiorum</i>
9: 283	<i>Rubus clivicola</i>	later homonym	<i>Rubus naruhashii</i> Yi Sun & Boufford, J. Jap. Bot. 87: 135. 2012. synonym: <i>Rubus clivicola</i> E. Walker, J. Wash. Acad. Sci. 32: 262. 1942, not Sudre (1903).
9: 313	<i>Potentilla strigosa</i>	Pallas ex Pursh, Fl. Amer. Sept. 1: 356. 1814.	(Pursh) Pallas ex Trattinnick, Rosac. Monogr. 4: 31. 1824. basionym: <i>Potentilla pensylvanica</i> Linnaeus var. <i>strigosa</i> Pursh, Fl. Amer. Sept. 1: 356. 1813.
9: 315	<i>Potentilla nivea</i>	Radical leaves 15–80 cm	Radical leaves 1.5–8 cm
9: 315	<i>Potentilla nivea</i> and <i>P. nivea</i> var. <i>nivea</i>		addition to distribution: North America
9: 318	<i>Potentilla argyrophylla</i> var. <i>atrosanguinea</i>	basionym author: Loddiges	basionym author: Loddiges, G. Loddiges & W. Loddiges
9: 318	<i>Potentilla argyrophylla</i> var. <i>atrosanguinea</i>	basionym date: 1824	basionym date: 1823
9: 323	<i>Potentilla macrosepala</i>	synonym: <i>Potentilla concolor</i> (Franchet) Rolfe (1908), not Zimmermann (1887); ...	synonym: <i>Potentilla concolor</i> (Franchet) Rolfe (1908), not Zimmermann (1887); ...
9: 324	<i>Potentilla chrysanthia</i>	leaf blade pinnate	leaf blade palmate
9: 325	<i>Potentilla gelida</i>	Radical leaves 25–70 cm	Radical leaves 2.5–7 cm
9: 352	<i>Rosa xanthina</i>	leaflets ... 6–18 × 5–10	leaflets ... 6–18 × 5–10 mm
9: 372	<i>Rosa sambucina</i> var. <i>pubescens</i>	flowers ... 2.5–3.5 mm in diam.	flowers ... 2.5–3.5 cm in diam.
9: 373	<i>Rosa pricei</i>	pedicel ... 0.8–1.5 mm	pedicel ... 0.8–1.5 cm
9: 406	<i>Cerasus tomentosa</i>	(Thunberg) Wallich, Numer. List no. 715. 1829.	(Thunberg) Wallich ex T. T. Yü & C. L. Li in T. T. Yü, Fl. Reipubl. Popularis Sin. 38(2): 86. 1986.
9: 423	<i>Padus avium</i>	Drupe ... 8–10 cm in diam.	Drupe ... 8–10 mm in diam.
9I: 4	<i>Pittosporum daphniphyloides</i> var. <i>adaphniphyloides</i>	(Hu & F. T. Wang) W. T. Wang	(H. H. Hu & F. T. Wang) W. T. Wang
9I: 111	<i>Rubus clivicola</i>	<i>Rubus clivicola</i> E. Walker	<i>Rubus naruhashii</i> Yi Sun & Boufford
9I: 165	<i>Cerasus tomentosa</i>	(Thunberg) Wallich	(Thunberg) Wallich ex T. T. Yü & C. L. Li

Volume: page	Taxon	Error	Correction or addition
10: 1	Fabaceae	Dieter Podlech	Dietrich Podlech
10: 1	Fabaceae	footnote 8: Langzhou Institute of Desert Research	footnote 8: Lanzhou Institute of Desert Research
10: 37	<i>Gleditsia microphylla</i>	D. A. Gordon ex Isely, Mem. New York Bot. Gard. 25: 214. 1975.	D. A. Gordon ex Y. T. Lee, J. Arnold Arbor. 57: 29. 1976.
10: 52	<i>Entada rheedii</i>	synonym: <i>E. pursaetha</i>	synonym: <i>E. pusætha</i>
10: 58	<i>Acacia delavayi</i> var. <i>delavayi</i>	synonym: <i>Acacia cavaleriei</i> H. Léveillé.	[delete: synonym not validly published]
10: 65	<i>Albizia mollis</i>	synonym: <i>A. julibrissin</i>	synonym: <i>Albizia julibrissin</i>
10: 70	<i>Archidendron kerrii</i>	Guangxi, Yunnan [Laos, Vietnam].	Guangxi, SE Xizang, Yunnan [India, Laos, Vietnam].
10: 102	<i>Thermopsis lupinoides</i>	<i>Thermopsis lupinoides</i> (Linnaeus) Link, Enum. Hort. Berol. Alt. 1: 401. 1821. basionym: <i>Sophora lupinoides</i> Linnaeus, Sp. Pl. 1: 374. 1753 ...	[Conservation of <i>Sophora lupinoides</i> Linnaeus was not recommended by the Committee for Vascular Plants (see Brummitt, Taxon 59: 1271. 2010). Thus, “ <i>Thermopsis lupinoides</i> (Linnaeus) Link” was not validly published. Name for species no. 1 should be as follows:] <i>Thermopsis fabacea</i> (Pallas) Candolle, Prod. 2: 99. 1825. basionym: <i>Sophora fabacea</i> Pallas, Sp. Astragal. 122. 1803.
10: 308	<i>Lespedeza davurica</i>	<i>davurica</i> [“ <i>daurica</i> ”]	<i>daurica</i>
10: 308	<i>Lespedeza davurica</i>	basionym: <i>Trifolium davuricum</i>	basionym: <i>Trifolium dauricum</i>
10: 327	<i>Phyllolobium pastorianum</i>	synonym: <i>Astragalus tenchingensis</i> K. T. Fu	synonym: <i>Astragalus tenchingensis</i> S. S. Cheng ex K. T. Fu
10: 438	<i>Astragalus pseudoscaberrimus</i>	S. B. Ho	F. T. Wang & Tang ex S. B. Ho
10: 507	<i>Tibetia</i>	1a. and 1b. appressed glandular hairs	1a. and 1b. appressed hairs
10: 512ff.	Hedysareae	legume divided into loments	legume divided into articles
10I: 127	<i>Thermopsis lupinoides</i>	<i>Thermopsis lupinoides</i> (Linnaeus) Link	<i>Thermopsis fabacea</i> (Pallas) Candolle
10I: 241, 242, 246, 247, 249, 250, 251	<i>Mucuna birdwoodiana</i> , <i>M. sempervirens</i> , <i>M. calophylla</i> , <i>M. macrobotrys</i> , <i>M. championii</i> , <i>M. lamellata</i> , and <i>M. cyclocarpa</i>	artist: C. Melanie Wilmot-Dear	artist: Eleanor Catherine
10I: 332	<i>Lespedeza davurica</i>	<i>davurica</i>	<i>daurica</i>

Volume: page	Taxon	Error	Correction or addition
11: 80, 81	<i>Glycosmis lucida</i>	nom. illeg. superfl.	<i>Glycosmis tetraphylla</i> Wallich ex Voigt, Hort. Suburb. Calcutt. 139. 1845. synonymy: <i>Glycosmis cyanocarpa</i> (Blume) Sprengel var. <i>cymosa</i> Kurz; <i>G. cymosa</i> (Kurz) J. Narayanaswami ex Tanaka (1941), not Zippelius ex Spanoghe (1841); <i>G. lucida</i> Wallich ex C. C. Huang, nom. illeg. superfl.
11: 86	<i>Murraya paniculata</i>	synonyms: <i>Chalcas exotica</i> (Linnaeus) Millspaugh; <i>Murraya paniculata</i> var. <i>exotica</i> (Linnaeus) C. C. Huang	[delete: these are synonyms of <i>Murraya</i> <i>exotica</i> Linnaeus]
11: 90	<i>Atalantia acuminata</i>	Guishaia 11: 6. 1991.	Nordic J. Bot. 27: 478. 2009.
11: 99	<i>Harrisonia perforata</i>	synonym: <i>Feroniella pubescens</i> Tanaka	synonym: <i>Feroniella pubescens</i> (Wallich ex J. D. Hooker) Tanaka
11: 99	<i>Harrisonia perforata</i>	synonym: <i>Harrisonia citrinaecarpa</i>	synonym: <i>Harrisonia citrinocarpa</i>
11: 122	<i>Aglaia lawii</i>	(Wight) C. J. Saldanha ex Ramamoorthy in C. J. Saldanha & Nicolson	(Wight) C. J. Saldanha
11: 149	<i>Polygala koi</i>	inner sepals ... ca. 7 × 3.5 cm	inner sepals ... ca. 7 × 3.5 mm
11: 153	<i>Polygala monopetala</i>	leaf blade ... 1–1.8 × 0.3–0.4 mm	leaf blade ... 1–1.8 × 0.3–0.4 cm
11: 163	Euphorbiaceae	footnote 6: Botanische Staatssammlung, Institut für Systematische Botanik, Ludwig-Maximilians-Universität, Menzinger Straße 67, D-80638 München, Germany.	footnote 6: Botanische Staatssammlung, Menzinger Straße 67, D-80638 München, Germany.
11: 183	<i>Phyllanthus reticulatus</i>	synonym: <i>Phyllanthus sinensis</i> Müller Argoviensis	[delete: <i>Phyllanthus sinensis</i> was not validly published by Müller Argoviensis]
11: 185	<i>Phyllanthus pulcher</i>	Wallich ex Müller Argoviensis	(Baillon) Wallich ex Müller Argoviensis
11: 185	<i>Phyllanthus pulcher</i>	synonymy: <i>Diasperus pulcher</i> (Wallich ex Müller Argoviensis) Kuntze; <i>Epistylum pulchrum</i> Baillon; <i>Phyllanthus</i> <i>asteranthos</i> Croizat.	synonymy: <i>Epistylum pulchrum</i> Baillon, Étude Euphorb. 648. 1858; <i>Diasperus</i> <i>pulcher</i> (Wallich ex Müller Argoviensis) Kuntze; <i>Phyllanthus asteranthos</i> Croizat.
11: 187	<i>Phyllanthus amarus</i>	Shumacher & Thonning	Schumacher & Thonning
11: 279	<i>Chaetocarpus castanicarpus</i>	<i>castanicarpus</i>	<i>castanocarpus</i>
11: 279	<i>Chaetocarpus castanicarpus</i>	synonym: <i>Adelia castanicarpa</i>	synonym: <i>Adelia castanocarpa</i> [" <i>castanicarpa</i> "]
11: 312	<i>Euphorbia prolifera</i>	Hamilton ex D. Don	Buchanan-Hamilton ex D. Don
11: 335	Anacardiaceae	1a. Flower dioecious	1a. Flower unisexual
11: 385	<i>Ilex crenata</i>		addition to distribution: Jiangsu
11: 515ff.	Aceraceae	numbers of leaflets given for <i>Acer</i> in the generic key do not agree with the description for the genus and for many of the individual species; as well, the key to species is similarly inconsistent	

Volume: page	Taxon	Error	Correction or addition
11: 538, 541, 542	<i>Acer pectinatum</i> , incl. <i>A. pectinatum</i> subsp. <i>pectinatum</i> and <i>A.</i> <i>pectinatum</i> subsp. <i>taronense</i>	nom. illeg. superfl.	<i>Acer taronense</i> Handel-Mazzetti, Anz. Akad. Wiss. Wien, Math.-Naturwiss. 61: 84. 1924. synonym: <i>A. pectinatum</i> Wallich ex G. Nicholson subsp. <i>taronense</i> (Handel- Mazzetti) A. E. Murray [New combination needed for subspecies no. 68a.]
11I: 178	<i>Aglaia lawii</i>	(Wight) C. J. Saldanha ex Ramamoorthy	(Wight) C. J. Saldanha
11I: 238	<i>Phyllanthus pulcher</i>	Wallich ex Müller Argoviensis	(Baillon) Wallich ex Müller Argoviensis
11I: 585	<i>Acer pectinatum</i>	<i>Acer pectinatum</i> Wallich ex G. Nicholson	<i>Acer taronense</i> Handel-Mazzetti
12: 37	<i>Meliosma thorelii</i>		addition to distribution: India
12: 38	<i>Meliosma henryi</i>	• endemic	addition to distribution: India
12: 40	<i>Meliosma pinnata</i>	Mélanges Biol. Bull. Phys.-Math. Acad. Imp. Sci. Saint-Pétersbourg 6: 263. 1868.	Bull. Acad. Imp. Sci. Saint Pétersbourg, Sér. 3, 12: 64. 1867.
12: 40	<i>Meliosma rhoifolia</i> var. <i>barbulata</i>	synonym: <i>M. pinnata</i> subsp. <i>barbulata</i> (Cuf.) Beusekom ex Welzen	synonym: <i>M. pinnata</i> subsp. <i>barbulata</i> (Cuf.) Beusekom
12: 42	<i>Meliosma alba</i>		addition to distribution: North America (Mexico)
12: 129	<i>Berchemia omeiensis</i>	Bull. Bot. Lab. N. E. Forest. Inst., Harbin 5: 16. 1979.	Novon 21: 71. 2011.
12: 149	<i>Rhamnus kwangsiensis</i>	Bull. Bot. Lab. N. E. Forest. Inst., Harbin 5: 77. 1979.	Novon 21: 71. 2011.
12: 214	<i>Vitis yunnanensis</i>	Acta Bot. Yunnan. 19: 217. 1997.	Nordic J. Bot. 28: 764. 2010.
12: 215	<i>Vitis piasezkii</i>	Berry ... 0.8–1.3 in diam.	Berry ... 0.8–1.3 cm in diam.
12: 217	<i>Vitis erythrophylla</i>	Buds ... 1.5–2 cm	Buds ... 1.5–2 mm
12: 292	<i>Hibiscus leviseminus</i>	0.5–2 cm tall	0.5–2 m tall
12: 305	<i>Sterculia villosa</i>	Roxburgh, Fl. Ind., ed. 1832, 3: 153. 1832.	Roxburgh ex Smith, Cycl. (Rees) 34: Sterculia no. 16. 1816.
12: 307	<i>Sterculia subracemosa</i>	500–6000 m.	500–600 m.
12: 310	<i>Sterculia lanceifolia</i>	synonym: <i>Sterculia roxburghii</i> Wallich	synonym: <i>Sterculia roxburghiana</i> Wallich
12: 318	<i>Helicteres obtusa</i>	Wallich ex Masters in J. D. Hooker, Fl. Brit. India 1: 366. 1874.	Wallich ex Kurz, J. Asiat. Soc. Bengal, Pt. 2, Nat. Hist. 42: 62. 1873.
12: 325	<i>Eriolaena wallichii</i>	Mém. Mus. Hist. Nat. 10: 104. 1823.	Mém. Mus. Hist. Nat. 10: 102. 1823.
12: 357	<i>Saurauia miniata</i>	C. F. Liang & Y. S. Wang in Z. Y. Zhu et al., Legumes China, 638. 2007.	C. F. Liang & Y. S. Wang in X. Y. Zhu et al., Legumes China, 638. 2007.

Volume: page	Taxon	Error	Correction or addition
12: 368, 389	<i>Camellia</i> sect. <i>Eriandria</i>	<i>Camellia</i> sect. <i>Eriandria</i> Cohen-Stuart, Meded. Proefstat. Thee 40: 69. 1916. synonymy: <i>Camellia</i> sect. <i>Camelliopsis</i> (Pierre) Sealy; <i>Camelliastrum</i> Nakai; <i>Thea</i> sect. <i>Camelliopsis</i> Pierre.	<i>Camellia</i> sect. <i>Camelliopsis</i> (Pierre) Sealy, Rev. Gen. <i>Camellia</i> , 97. 1958. synonymy: <i>Thea</i> sect. <i>Camelliopsis</i> Pierre, Fl. Forest. Cochinch. 2: t. 119. 1887; <i>Camellia</i> sect. <i>Eriandria</i> Cohen-Stuart; <i>Camelliastrum</i> Nakai.
12: 372	<i>Camellia</i> sect. <i>Thea</i>	(Linnaeus) Dyer in J. D. Hooker, Fl. Brit. India 1: 292. 1874.	(Linnaeus) Bentham & J. D. Hooker, Gen. Pl. 1(1): 187. 1862.
12: 418	<i>Polyspora</i>	Prance & Park	Prince & Parks
12: 428	<i>Stewartia sinensis</i> var. <i>acutisepala</i>	basionym: <i>Stewartia acutisepala</i> P. L. Chiu & G. R. Zhong, Acta Bot. Yunnan. 10: 57. 1988.	basionym validated: Nordic J. Bot. 27: 370. 2009.
12: 442	<i>Adinandra howii</i>	fr. Oct–Sep.	fr. Sep–Oct.
13: 116	<i>Gynocardia</i> and <i>G. odorata</i>	R. Brown in Roxburgh	Roxburgh
13: 166, 167, 182	<i>Begonia cavaleriei</i> , <i>B. cirrosa</i> , and <i>B. limprichtii</i>	synonymy: ... T. T. Yu	synonymy: ... T. T. Yü
13: 156, 169, 181, 191, 207	<i>Begonia paucilobata</i> , incl. <i>B. paucilobata</i> var. <i>paucilobata</i> and <i>B. paucilobata</i> var. <i>maguanensis</i>	[The basionym, <i>Begonia maguanensis</i> S. H. Huang & Y. M. Shui (Acta Bot. Yunnan. 16(4): 338. 1994), has priority over <i>B. paucilobata</i> C. Y. Wu (Acta Phytotax. Sin. 33(3): 275. 1995).]	<i>Begonia maguanensis</i> S. H. Huang & Y. M. Shui, Acta Bot. Yunnan. 16(4): 338. 1994. synonymy: <i>Begonia paucilobata</i> C. Y. Wu var. <i>maguanensis</i> (S. H. Huang & Y. M. Shui) T. C. Ku. [New combination needed for variety no. 113a.]
13: 227	<i>Wikstroemia linearifolia</i>	later homonym	[New name needed.] synonymy: <i>Daphne zhouana</i> Halda; <i>Wikstroemia linearifolia</i> H. F. Zhou (1986), not Elmer (1910), nor <i>D. linearifolia</i> Hart (1885).
13: 242	<i>Daphne papyracea</i>	Wallich ex Steudel, Nomencl. Bot., ed. 2, 1: 483. 1840.	Wallich ex G. Don in Loudon, Hort. Brit. 156. 1830.
13: 246	<i>Eriosolena composita</i>	synonym: <i>Eriosolena composita</i> var. <i>szemauensis</i>	synonym: <i>Eriosolena composita</i> var. <i>szemaoensis</i>
13: 249	<i>Diarthron altaicum</i>	(M.-A. Thiébaud ex Persoon) Kit Tan	(Persoon) Kit Tan
13: 250	<i>Stellera chamaejasme</i>	synonym: <i>S. chamaejasme</i> f. <i>chrysanthra</i> Linnaeus	synonym: <i>S. chamaejasme</i> f. <i>chrysanthra</i> S. C. Huang
13: 270	<i>Eleagnus triflora</i>	Fl. Ind., ed. 1832, 1: 439. 1832.	Fl. Ind. 1: 459. 1820.
13: 327	<i>Eucalyptus globula</i>	<i>globula</i>	<i>globulus</i>
13: 439	<i>Fatsia japonica</i>	basionym: <i>Aralia japonica</i> Thunberg in Murray, Syst. Veg., ed. 14, 300. 1784.	basionym: <i>Aralia japonica</i> Thunberg, Nova Acta Regiae Soc. Sci. Upsal. 3: 207. 1780.
13: 490	<i>Panax japonicus</i> var. <i>angustifolius</i>	(Burkhill) C. C. Cheng & Chu	(Burkhill) C. Y. Cheng & C. Y. Chu
13I: 145	<i>Gynocardia odorata</i>	R. Brown	Roxburgh

Volume: page	Taxon	Error	Correction or addition
13I: 266	<i>Daphne papyracea</i>	Wallich ex Steudel	Wallich ex G. Don
14: 25	<i>Chaerophyllum villosum</i>	synonym: <i>Charophyllum reflexum</i>	synonym: <i>Chaerophyllum reflexum</i>
14: 27	<i>Osmorrhiza aristata</i> var. <i>aristata</i>	synonym: <i>Uraspermum aristatum</i>	synonym: <i>Uraspermum aristatum</i>
14: 49	<i>Pleurospermum rupestre</i>	Fruit ... 3–5 × mm	Fruit ... 3–5 mm
14: 67	<i>Bupleurum rockii</i>	Cauline leaves ... blade ... 2.5–7 × 8–12 mm	Cauline leaves ... blade ... 2.5–7 cm × 8–12 mm
14: 72	<i>Bupleurum hamiltonii</i> var. <i>paucefulcrans</i>	Acta Phytotax. Sin. 12: 291. 1974.	[Not published at this reference; new combination needed based on <i>Bupleurum</i> <i>tenue</i> var. <i>paucefulcrans</i> C. Y. Wu ex R. H. Shan & Yin Li]
14: 78	<i>Trachyspermum</i> <i>roxburghianum</i>	listed again as synonym of itself	[delete synonym]
14: 85	<i>Pternopetalum</i>	<i>Pternopetalum mire</i> 3652, <i>holotairei</i> ... E. E. Maype, B	<i>Pternopetalum mairei</i> ... E. E. Maire 3652
14: 86	<i>Pternopetalum wolffianum</i>	basionym reference: Repert. Spec. Nov.	basionym reference: Repert. Spec. Nov. Regni Veg.
14: 92	<i>Pternopetalum</i>	<i>Pternopetalum mire</i>	<i>Pternopetalum maire</i>
14: 99	<i>Pimpinella rubescens</i>	basionym reference: Bull. Soc. Philom. Pairs 8(6) ...	basionym reference: Bull. Soc. Philom. Paris, ser. 8, 6 ...
14: 121	<i>Libanotis sibirica</i>	synonym: <i>S. sibiricum</i>	synonym: <i>S. sibiricum</i>
14: 134	<i>Foeniculum vulgare</i>	Miller	(Linnaeus) Miller
14: 140	<i>Ligisticum</i>	35 endemic	32 endemic
14: 161	<i>Angelica polymorpha</i>	Umbels 4–10 across	Umbels 4–10 cm across
14: 164	<i>Angelica ternata</i>	Umbels 6–12 across	Umbels 6–12 cm across
14: 168	<i>Angelica morii</i>	Plants ... 50–10 cm.	Plants ... 50–100 cm.
14: 173, 174	<i>Arcuatopterus</i> <i>thalictroides</i>	<i>thalictrioideus</i>	<i>thalictroideus</i>
14: 179	<i>Ferula licentiana</i> var. <i>tunshanica</i>	Bull. Nanjing Bot. Gard. Mem. Sun Yat Sen 1987: 37. 1988.	Fl. Reipubl. Popularis Sin. 55(3): 114. 1992.
14: 189	<i>Peucedanum falcaria</i>	Plants 40–60,	Plants 40–60 cm,
14: 208	<i>Cornus controversa</i>	synonym: <i>Cornus obovata</i> Thunberg	[delete: synonym not validly published]
14: 213	<i>Cornus quinquenervis</i>	synonym: <i>Swida paucinervis</i> Soják	synonym: <i>Swida paucinervis</i> (Hance) Soják
14: 215	<i>Cornus</i> subg. <i>Cornus</i>	1a. Branches monopodial; inflorescences lateral; peduncle 2–3 mm ...	1a. Branches sympodial; inflorescences terminal; peduncle 2–3 mm ...
14: 215	<i>Cornus</i> subg. <i>Cornus</i>	1b. Branches sympodial; inflorescences terminal; peduncle 5–12 mm ...	1b. Branches monopodial; inflorescences lateral; peduncle 5–12 mm ...

Volume: page	Taxon	Error	Correction or addition
14: 231	<i>Diplopanax stachyantus</i>	<i>Diplopanax stachyantus</i>	<i>Diplopanax stachyanthus</i>
14: 242, 258, 259, 260, 262, 263, 273, 274, 275, 282, 284, 296, 298, 299, 302, 303, 304, 306, 307, 309, 310, 317, 320, 322, 326, 328, 339, 342, 346, 349, 354, 357, 360, 367, 368, 375, 377, 397, 398, 400, 401, 403, 404, 416, 417, 422, 431, 432, 455	Ericaceae	David C. Chamberlain [contributor to <i>Diplarche</i> , <i>Phyllodoce</i> , <i>Ledum</i> , and <i>Rhododendron</i> treatments]	David F. Chamberlain
14: 253	<i>Pyrola renifolia</i>	Flowers 1–1.(–1.5) mm in diam.	Flowers 1(–1.5) mm in diam.
14: 254	<i>Pyrola shanxiensis</i>	Sepals ... ca. 2.5 × 2.5 cm	Sepals ... ca. 2.5 × 2.5 mm
14: 254	<i>Pyrola rugosa</i>	bracts lanceolate, ca. as long as petiole or slightly longer	bracts lanceolate, ca. as long as pedicel or slightly longer
14: 339	<i>Rhododendron</i> subsect. <i>Auriculata</i>	Bot. Jahrb. Syst. 24:	Bot. Jahrb. Syst. 74:
14: 353	<i>Rhododendron maculiferum</i> subsp. <i>anhweiense</i>	<i>anhweiense</i>	<i>anhweiense</i>
14: 413	<i>Rhododendron sanguineum</i> var. <i>didymoides</i>	synonym: <i>Rhododendron sanguineum</i> subsp. <i>roseotinctum</i> (Tagg & Forrest) Cowan	synonym: <i>Rhododendron sanguineum</i> subsp. <i>roseotinctum</i> (I. B. Balfour & Forrest) Cowan
14: 431	<i>Rhododendron molle</i>	extraneous “subsp. <i>molle</i> ”	[delete “subsp. <i>molle</i> ”]
14: 433	<i>Rhododendron huadingense</i>	Bull. Bot. Res., Harbin 10(1): 31. 1990.	Taxon 54(3): 804. 2005.
14: 453	<i>Rhododendron sparsifolium</i>	Acta Phytotax. Sin. 21: 462. 1983.	Nordic J. Bot. 27: 370. 2009.
14: 465	<i>Gaultheria</i>	1b. leaf blade at least 1.5 mm	1b. leaf blade at least 1.5 cm
14: 485	<i>Vaccinium kachinense</i>	1921	1906
14: 489	<i>Vaccinium harmandianum</i>	Dop in Lecompte	Dop in Lecomte
14I: 257	<i>Foeniculum vulgare</i>	Miller	(Linnaeus) Miller
14I: 535	<i>Rhododendron maculiferum</i> subsp. <i>anhweiense</i>	<i>anhweiense</i>	<i>anhweiense</i>
15: ii, 320	Loganiaceae	family authors: ... Antony J. M. Leeuwenberg	family authors: ... Antony J. M. Leeuwenberg, Michael G. Gilbert [Footnote for Gilbert's address (p. 327) should be on p. 320.]
15: 20	<i>Ardisia virens</i>	For. Fl. Brit. Burma	Forest Fl. Burma

Volume: page	Taxon	Error	Correction or addition
15: 23	<i>Ardisia dasyrhizomatica</i>	in C. Y. Wu	in C. Chen
15: 32	<i>Embelia ribes</i> var. <i>pachyphylla</i>	Chun ex C. Y. Wu & C. Chen	Chun ex C. Chen
15: 32	<i>Embelia ribes</i> subsp. <i>pachyphylla</i>	(Chun ex C. Y. Wu & C. Chen) Pipoly & C. Chen	(Chun ex C. Chen) Pipoly & C. Chen
15: 32	<i>Embelia ribes</i> subsp. <i>pachyphylla</i>	basionym: Chun ex C. Y. Wu & C. Chen	Chun ex C. Chen
15: 35	<i>Rapanea verruculosa</i>	C. Y. Wu & C. Chen in C. Chen	C. Y. Wu in C. Chen
15: 50ff	various in Primulaceae	Chen	F. H. Chen
15: 69	<i>Lysimachia pentapetala</i>	1835	1833
15: 70	<i>Lysimachia barystachys</i>	1835	1833
15: 109	<i>Primula</i>	key 15: 15a. ... 158. <i>P. hoi</i>	<i>P. hoi</i>
15: 127	<i>Primula sinensis</i>	later homonym	<i>Primula praenitens</i> Ker Gawler, Bot. Reg. 7: t. 539. 1821.
			synonyms: <i>Auganthus praenitens</i> (Ker Gawler) Link; ... <i>P. sinensis</i> Sabine ex Lindley (1821), not Loureiro (1790); <i>Primulidium sinense</i> Spach, nom. illeg. superfl.
15: 140	<i>Primula chienii</i>	<i>Primula chienii</i> Fang, Acta Univ. Szechuan. 1: 83. 1956.	<i>Primula chienii</i> W. P. Fang, J. Sichuan Univ., Nat. Sci. Ed. 1956(1): 83. 1956.
15: 141, 143, 172, 174	<i>Primula episola</i> , <i>P.</i> <i>pulverulenta</i> , <i>P. involucrata</i> subsp. <i>yargongensis</i> , and <i>P.</i> <i>walshii</i>	synonymy: ... Fang	synonymy: ... W. P. Fang
15: 150	<i>Primula lungchiensis</i>	Fang, Acta Univ. Szechuan. 1: 88. 1956.	W. P. Fang, J. Sichuan Univ., Nat. Sci. Ed. 1956(1): 88. 1956.
15: 150	<i>Primula woonyoungiana</i>	Fang, Acta Univ. Szechuan. 1: 102. 1956.	W. P. Fang, J. Sichuan Univ., Nat. Sci. Ed. 1956(1): 102. 1956.
15: 151	<i>Primula diantha</i>	synonym: <i>P. glacialis</i> Franchet	synonym: <i>P. glacialis</i> Franchet (1885), not Willdenow ex Roemer & Schultes (1819)
15: 152	<i>Primula hoi</i>	<i>Primula hoi</i> Fang, Acta Univ. Szechuan. 1: 100. 1956.	<i>Primula hoi</i> W. P. Fang, J. Sichuan Univ., Nat. Sci. Ed. 1956(1): 100. 1956 [“ <i>hoi</i> ”].
15: 158	<i>Primula advena</i> var. <i>euprepes</i>	(W. W. Smith) Chen & C. M. Hu, Fl. Xizang. 3: 799. 1986.	C. M. Hu & S. Kelso, comb. nov. [see Unintended New Names section of Nomenclatural Novelties list, p. 190]
15: 233	<i>Diospyros inflata</i>	staminate flowers ... calyx lobes 3 ... calyx lobes 4 or 5	staminate flowers ... calyx lobes 3 ... corolla lobes 4 or 5
15: 262	<i>Styrax formosanus</i> var. <i>formosanus</i>	Fl. Apr–Mar	Fl. Apr–May
15: 271	<i>Parastyrax macrophyllus</i>	Yunnan (Kekou Xian)	Yunnan (Hekou Xian)

Volume: page	Taxon	Error	Correction or addition
15: 272	Oleaceae	family authors: ... Qiu Lian-qing; Peter S. Green	family authors: ... Qiu Lian-qing, Wei Zhi; Peter S. Green [Footnote for Wei Zhi's address (p. 273) should be on p. 272.]
15: 279	<i>Fraxinus sogdiana</i>	1852	1854
15: 280	<i>Forsythia mandschurica</i>	J. Chosen Nat. Hist. Soc. 9: 20. 1929.	J. Chosen Nat. Hist. Soc. 9: 21. 1929.
15: 286	<i>Syringa reticulata</i>	missing vernacular name	暴马丁香 bao ma ding xiang
15: 306	<i>Ligustrum obtusifolium</i>	missing vernacular name	水蜡树
15I: 97, 107	<i>Primula chienii</i> and <i>P. lungchiensis</i>	Fang	W. P. Fang
16: iii, 271	Convolvulaceae	family authors: ... George Staples	family authors: ... George Staples, Lytton J. Musselman, Uzi Plitmann, Richard K. Brummitt [Footnotes for author addresses (pp. 286, 322) should be on p. 271.]
16: 18	<i>Gentiana</i> sect. <i>Cruciata</i>	15. <i>G. oliveri</i>	15. <i>G. olivieri</i>
16: 122	<i>Swertia franchetiana</i>	Fl. and Aug–Nov.	Fl. and fr. Aug–Nov.
16: 122	<i>Swertia fasciculata</i>	Stem leaves ... 1–2.5 × 3–6 cm	Stem leaves ... 1–2.5 cm × 3–6 mm
16: 153	<i>Tabernaemontana pandacaqui</i>	Lamarck, Tabl. Encycl. 1(2): 299. 1792.	Poiret in Lamarck, Encycl. 7: 529. 1806 (6 Jul 1906).
16: 158	<i>Rauvolfia tetraphylla</i>		addition to distribution: Taiwan (Taiwania 56: 169. 2011)
16: 164	<i>Thevetia peruviana</i>	synonym: <i>T. nerifolia</i> Jussieu ex Steudel	[delete: synonym not validly published]
16: 219	<i>Cynanchum glaucescens</i>	Follicles ... 4.5–6 cm × 6–1 mm	Follicles ... 4.5–6 cm × 6–10 mm
16: 219	<i>Cynanchum glaucescens</i>	100–800.	100–800 m.
16: 240	<i>Gymnema inodorum</i>	synonyms: <i>Bidaria tingens</i> (Roxburgh ex Sprengel) Decaisne; <i>Gymnema tingens</i> Roxburgh ex Sprengel	synonyms: <i>Bidaria tingens</i> (Roxburgh) Decaisne; <i>Gymnema tingens</i> Roxburgh
16: 282	<i>Tridynamia megalantha</i>	synonym: <i>P. spectabilis</i> Kurz var. <i>megalantha</i> (Merrill) How	synonym: <i>P. spectabilis</i> Kurz var. <i>megalantha</i> (Merrill) F. C. How ex H. S. Kiu
16: 298	<i>Merremia cordata</i>	C. Y. Wu & R. C. Fang, Fl. Reipubl. Popularis Sin. 64(1): 163. 1979.	R. C. Fang in C. Y. Wu, Fl. Yunnan. 2: 650. Mar 1979.
16: 340	<i>Heliotropium micranthum</i>	1851	1854
16: 378	<i>Eritrichium</i>	Schrader, Comment. Soc. Regiae Sci. Gott. 4: 186. 1820.	Schrader ex Gaudin, Fl. Helv. 2: 4, 57. 1828.
16: 386	<i>Eritrichium echinocaryum</i>	Nutlets ... 2.2–1.5	Nutlets ... 1.5–2.2
16: 394	<i>Microula myositidea</i>		addition to distribution: Sichuan

Volume: page	Taxon	Error	Correction or addition
16: 418	<i>Rochelia cardiosepala</i>	1851	1854
16I: 83	<i>Tabernaemontana pandacaqui</i>	Lamarck	Poiret
16I: 299	<i>Merremia cordata</i>	C. Y. Wu & R. C. Fang	R. C. Fang
17: 12	<i>Callicarpa bodinieri</i> var. <i>iteophylla</i>	Fl. Yunnan. 1: 406. 1977.	J. Syst. Evol. 49: 508. 2011.
17: 15	<i>Callicarpa peichieniana</i>	Chun & S. L. Chen in W. Z. Fang, Fl. Reipubl. Popularis Sin. 65(1): 78. 1982.	W. Y. Chun & S. L. Chen ex H. Ma & W. B. Yu, Nordic J. Bot. 29: 224. 2011.
17: 15	<i>Callicarpa peichieniana</i>	synonymy: <i>Premna peii</i> Chun ex Chang (1960), not <i>Callicarpa peii</i> Chang (1951).	synonymy: <i>Premna peii</i> W. Y. Chun ex H. T. Chang (J. Sun-Yatsen Univ. 137. 1963), not <i>Callicarpa peii</i> Chang (1951).
17: 20	<i>Premna confinis</i>	P'ei & S. L. Chen ex C. Y. Wu	C. Pei & S. L. Chen ex C. Y. Wu et al.
17: 24	<i>Premna velutina</i>	later homonym	[New name needed.]
			synonymy: <i>Premna velutina</i> C. Y. Wu, Fl. Yunnan. 1: 428. 1977, not Gürke (1895).
17: 25	<i>Premna fohaiensis</i>	P'ei & S. L. Chen ex C. Y. Wu	C. Pei & S. L. Chen ex C. Y. Wu et al.
17: 28	<i>Vitex</i>	3b. Leaves always 3-foliolate	3b. Leaves 3- or 5-foliolate
17: 31	<i>Vitex microphylla</i>	(Handel-Mazzetti) P'ei ex C. Y. Wu	(Handel-Mazzetti) C. Pei ex C. Y. Wu et al.
17: 32	<i>Vitex duclouxii</i>	Leaves (3-)5-foliolate	Leaves (3 or)5-foliolate
17: 40	<i>Clerodendrum bungei</i> var. <i>bungei</i>	add basionym of synonym	<i>Clerodendrum foetidum</i> Bunge
17: 44	<i>Caryopteris forrestii</i> var. <i>minor</i>	P'ei & S. L. Chen ex C. Y. Wu	C. Pei & S. L. Chen ex C. Y. Wu et al.
17: 82ff	various Lamiaceae taxa		Remove endemic bullet for non-endemic taxa.
17: 87	<i>Scutellaria tayloriana</i>	synonymy: <i>Scutellari tayloriana</i> ...	synonymy: <i>Scutellaria tayloriana</i> ...
17: 92	<i>Scutellaria amoena</i>	lateral lobes 3 cm wide	lateral lobes 3 mm wide
17: 93	<i>Scutellaria viscidula</i>	leaf blade 1.5–3.2 × 2.5–8 mm	leaf blade 1.5–3.2 cm × 2.5–8 mm
17: 94	<i>Scutellaria orthocalyx</i>	leaf blade 1–2.1 × 2.2–5.5(–7) mm	leaf blade 1–2.1 cm × 2.2–5.5(–7) mm
17: 101	<i>Scutellaria przewalskii</i>	bracts (8–)12–15 cm × 6–10 mm	bracts (8–)12–15 × 6–10 mm
17: 113	<i>Nepeta stewartiana</i>	Stems 5–1.5 m	Stems 0.5–1.5 m
17: 130	<i>Dracocephalum velutinum</i>	Verticillasters in ca. 3 mm capitula	Verticillasters in ca. 3 cm capitula
17: 135	<i>Prunella vulgaris</i> var. <i>lanceolata</i>	(W. P. C. Barton)	(Barton)
17: 135	<i>Prunella vulgaris</i> var. <i>lanceolata</i>	basionym author: W. P. C. Barton	basionym author: Barton

Volume: page	Taxon	Error	Correction or addition
17: 139	<i>Chelonopsis chekiangensis</i>	Acta Phytotax. Sin. 8: 26. 1959.	Novon 19: 133. 2009.
17: 139	<i>Chelonopsis chekiangensis</i> var. <i>brevipes</i>	Acta Phytotax. Sin. 10: 154. 1965.	Novon 19: 133. 2009.
17: 148	<i>Phlomis agraria</i>	upper stem leaves sessile, 1.5 × 6–8 mm	upper stem leaves sessile, 15 × 6–8 mm
17: 151	<i>Phlomis megalantha</i>	Calyx tubular-campanulate, 1.8–2.8 × ca. 8 mm	Calyx tubular-campanulate, 1.8–2.8 cm × ca. 8 mm
17: 172	<i>Paraphlomis javanica</i> var. <i>angustifolia</i>	(C. Y. Wu) C. Y. Wu & H. W. Li	C. Y. Wu & H. W. Li ex C. L. Xiang, E. D. Liu & H. Peng
17: 226	<i>Melissa axillaris</i>	(Bentham) R. Bakhuizen	(Bentham) Bakhuizen f.
17: 250	<i>Elsholtzia penduliflora</i>	W. Smith	W. W. Smith
17: 254	<i>Elsholtzia saxatilis</i> and <i>E. splendens</i>	<i>Elsholtzia angustifolia</i> appears as synonym of both	[delete from both: placement of synonym unclear]
17: 273	<i>Rabdosia phyllostachys</i> var. <i>leptophylla</i>	C. Y. Wu	C. Y. Wu & H. W. Li
17: 276	<i>Rabdosia irrorata</i> var. <i>crenata</i>	C. Y. Wu	C. Y. Wu & H. W. Li
17: 290	<i>Isodon weisiensis</i>	leaf blade ... 4.5–11.5 × -8 cm	leaf blade ... 4.5–11.5 × ca. 8 cm
17: 291	<i>Isodon adenanthus</i>	calyx teeth 1–1.5 cm	calyx teeth 1–1.5 mm
17: 318	<i>Solanum nigrum</i>	Fr. May–Aug	Fl. May–Aug
17: 318	<i>Solanum villosum</i>	Fr. Jul–Sep	Fl. Jul–Sep
17: 319	<i>Solanum japonense</i>	Corolla 5–8 × 1 cm	Corolla 5–8 mm × ca. 1 cm
17: 321	<i>Solanum procumbens</i>	peduncle ca. cm	[delete “peduncle ca. cm”]
17: 325	<i>Solanum angustifolium</i>	Fr. Jul–Sep	Fl. Jul–Sep
17: 325	<i>Solanum undatum</i>	Calyx campanulate, 6–9 × 1–1.5 cm	Calyx campanulate, 6–9 mm × 1–1.5 cm
17: 332	<i>Petunia hybrida</i>	(J. D. Hooker) Vilmorin	Vilmorin
17I: 43	<i>Callicarpa peichieniana</i>	Chun & S. L. Chen	W. Y. Chun & S. L. Chen ex H. Ma & W. B. Yu
17I: 187	<i>Nepeta sessilis</i>	C. Y. Wu & Hsuan	C. Y. Wu & S. J. Hsuan
17I: 308	<i>Elsholtzia penduliflora</i>	W. Smith	W. W. Smith
17I: 402	<i>Petunia hybrida</i>	(J. D. Hooker) Vilmorin	Vilmorin
18: ii, 1	Scrophulariaceae	family authors: ... Noel H. Holmgren	family authors: ... Noel H. Holmgren, Robert R. Mill, Manfred A. Fischer
			[Footnotes for author addresses (pp. 65, 97) should be on p. 1.]

Volume: page	Taxon	Error	Correction or addition
18: 17	<i>Scrophularia macrocarpa</i>	Fl. Reipubl. Popularis Sin. 67(2): 395. 1979.	Nordic J. Bot. 27: 379. 2009.
18: 23	<i>Dopatrium junceum</i>	(Roxburgh) Buchanan-Hamilton ex Bentham in Lindley, Bot. Reg. 21: ad t. 1770. no. 46. 1835.	(Roxburgh) Bentham, Scroph. Ind. 31. 1835.
18: 33	<i>Lindernia megaphylla</i>	Acta Phytotax. Sin. 8: 67–68. 1959.	Nordic J. Bot. 26: 41. 2008.
18: 49	<i>Microcarpaea minima</i>	(J. König ex Retzius) Merrill	(Retzius) Merrill
18: 49	<i>Microcarpaea minima</i>	basionym author: J. König ex Retzius	basionym author: Retzius
18: 53	<i>Mimulicalyx paludigenus</i>	P. C. Tsoong, Fl. Reipubl. Popularis Sin. 67(2): 400. 1979.	P. C. Tsoong ex D. Z. Li & J. Cai, Novon 15: 319. 2005.
18 : 111ff	various in <i>Pedicularis</i>	Franchet ex F. B. Forbes & Hemsley	Franchet in F. B. Forbes & Hemsley
18: 167	<i>Pedicularis fengii</i>		addition to distribution: Sichuan
18: 180	<i>Pedicularis debilis</i>	missing • bullet to mark as endemic to China	
18: 195	<i>Pedicularis oederi</i> subp. <i>oederi</i>	comment: var. <i>sinensis</i>	comment: var. <i>sinensis</i> (Maximowicz) Hurusawa
18: 211	<i>Cymbaria</i>	Gen. Pl. ed. 2, 282. 1742.	Sp. Pl. 2: 618. 1753.
18: 213	Bignoniaceae	comment: <i>Crescentia alata</i> Humboldt, Bonpland & Kunth	comment: <i>Crescentia alata</i> Kunth
18: 218	<i>Radermachera microcalyx</i>	C. Y. Wu & Y. C. Yin in C. Y. Wu	C. Y. Wu & W. C. Yin in W. C. Yin & D. D. Tao
18: 218	<i>Stereospermum strigulosum</i>	<i>strigulosum</i>	<i>strigulosum</i>
18: 219	<i>Radermachera yunnanensis</i>	C. Y. Wu & Y. C. Yin in C. Y. Wu	C. Y. Wu & W. C. Yin in W. C. Yin & D. D. Tao
18: 222	<i>Incarvillea beresowskii</i>	<i>beresowskii</i>	<i>berezovskii</i>
18: 223	<i>Incarvillea mairei</i> var. <i>multifoliolata</i>	synonym: <i>Incarvillea mairei</i> var. <i>mairei</i> f. <i>multifoliolata</i> C. Y. Wu & W. C. Yin in C. Y. Wu ...	synonym: <i>Incarvillea mairei</i> f. <i>multifoliolata</i> C. Y. Wu & W. C. Yin in W. C. Yin & D. D. Tao ...
18: 247	Gesneriaceae	36a. ... 17. <i>Leptoboea</i>	36a. ... 17. <i>Leptobaea</i>
18: 284	<i>Corallodiscus conchifolius</i>	NW Sichuan	W Sichuan (additional Boufford colls. from SW Sichuan)
18: 286	<i>Leptoboea</i>	<i>Leptoboea</i>	<i>Leptobaea</i>
18: 287	<i>Leptoboea multiflora</i>	(C. B. Clarke) C. B. Clarke in A. & C. de Candolle, Monogr. Phan. 5: 165. 1883.	(C. B. Clarke) Bentham ex Gamble, Man. Ind. Timb. 274. 1881.
18: 287	<i>Leptoboea multiflora</i>	<i>Leptoboea multiflora</i>	<i>Leptobaea multiflora</i>
18: 342	<i>Chirita oblongifolia</i>	synonymy: <i>Babactes oblongifolia</i> (Roxburgh) A. P. de Candolle ex Meisner	<i>Babactes oblongifolia</i> (Roxburgh) A. P. de Candolle
18I: 39	<i>Dopatrium junceum</i>	(Roxburgh) Buchanan-Hamilton ex Bentham	(Roxburgh) Bentham

Volume: page	Taxon	Error	Correction or addition
18I: 76	<i>Microcarpaea minima</i>	(J. König ex Retzius) Merrill	(Retzius) Merrill
18I: 245	<i>Incarvillea beresowskii</i>	<i>beresowskii</i>	<i>beresovskii</i>
18I: 302	<i>Leptobaea multiflora</i>	<i>Leptoboea multiflora</i> (C. B. Clarke) C. B. Clarke	<i>Leptobaea multiflora</i> (C. B. Clarke) Bentham ex Gamble
19: iv	Volume 19	This volume was printed on XXXXXXXX XX, 2011	This volume was printed on February 28, 2011
19: 343	<i>Tarennia lancilimba</i>	synonym: <i>Tarennia attenuata</i> (Voigt) Hutchinson var. <i>puberula</i> Chun & F. C. How ex W. C. Ko...	synonym: <i>Tarennia attenuata</i> (J. D. Hooker) Hutchinson var. <i>puberula</i> Chun & F. C. How ex W. C. Ko...
19: 361	<i>Wendlandia merrilliana</i> var. <i>merrilliana</i>	var. <i>merrilliana</i>	var. <i>merrilliana</i>
19: 361	<i>Wendlandia merrilliana</i>	1a. ... var. <i>merrilliana</i>	1a. var. <i>merrilliana</i>
19: 643	<i>Zabelia triflora</i>	(R. Brown ex Wallich) Makino	(R. Brown) Makino
19: 643	<i>Zabelia triflora</i>	basionym: <i>Abelia triflora</i> R. Brown ex Wallich, ...	basionym: <i>Abelia triflora</i> R. Brown in Wallich, ...
19: 655	<i>Pterocephalus bretschneideri</i>		add synonym: <i>Basseezia bretschneideri</i> (Batalin) B. L. Burtt
19: 658	<i>Dipsacus</i>	4a. ... leaves glabrous abaxially	4a. ... leaves hirsute abaxially
19: 659	<i>Dipsacus asper</i>	Wallich ex C. B. Clarke, Fl. Brit. India 3: 218. 1881.	Wallich ex Candolle, Prodri. 4: 646. 1830.
19I: 12	<i>Gynostemma pentaphyllum</i>	1–6. <i>Gynostemma pentaphyllum</i> (Thunberg) Makino var. <i>pentaphyllum</i> [<i>G. pedatum</i> Bl.], 绞股蓝(原变种) jiao gu lan (yuan bian zhong).	1–6. <i>Cyclanthera pedata</i> (Linnaeus) Schrader, 小雀瓜 xiao que gua.
19I: 689	<i>Wendlandia merrilliana</i> var. <i>merrilliana</i>	var. <i>merrilliana</i>	var. <i>merrilliana</i>
20–21: 71	<i>Saussurea polyclea</i>	good species	distinct species
20–21: 130	<i>Saussurea stricta</i>	later homonym	<i>Saussurea subcordata</i> F. H. Chen, Bull. Fan Mem. Inst. Biol. Bot. 6: 98. 1935. synonymy: <i>Saussurea sinica</i> S. Y. Hu, nom. illeg.; <i>S. stricta</i> Franchet (1894), not Sprengel ex Candolle (1838).
20–21: 369	<i>Elephantopus</i>	1a. ... florets white	1a. ... florets purplish or pink
20–21: 369	<i>Elephantopus</i>	1b. ... florets purplish or pink	1b. ... florets white
20–21: 420	<i>Cremanthodium smithianum</i>		delete (Handel-Mazzetti)
20–21: 420	<i>Cremanthodium smithianum</i>		delete two synonyms: <i>Cathcartia smithiana</i> and <i>Meconopsis smithiana</i> [basionym and accepted name in the Papaveraceae]
20–21: 514	<i>Senecio nemorensis</i>	synonym: <i>S. kematogensis</i>	synonym: <i>S. kematongensis</i>
20–21: 663	<i>Ajania elegantula</i>	<i>Chrysanthemum elegantulum</i> (W. W. Smith) S. Y. Hu	<i>Chrysanthemum elegantulum</i> (W. W. Smith) Handel-Mazzetti

Volume: page	Taxon	Error	Correction or addition
20–21: 694	<i>Artemisia</i> sect. <i>Artemisia</i>	8b. ... 59. <i>A. verlotorum</i>	8b. ... 59. <i>A. verlotiorum</i>
20–21: 694, 699	<i>Artemisia verlotorum</i>	<i>verlotorum</i>	<i>verlotiorum</i>
20–21I: 154	<i>Saussurea glandulosa</i>	1–5. <i>Saussurea glandulosa</i> Kitamura, 腺点风毛菊 xian dian feng mao ju.	1–5. <i>Saussurea schlagintweitii</i> Klatt, 腺毛风毛菊 xian mao feng mao ju.
22: 24	<i>Bambusa subtruncata</i>	Leaf blade 8–15 × 0.9–1.3 mm	Leaf blade 8–15 × 0.9–1.3 cm
22: 24	<i>Bambusa crispiaurita</i>	Leaf blade 8–17 × 0.8–18 cm	Leaf blade 8–17 × 0.8–1.8 cm
22: 25	<i>Bambusa vulgaris</i>	Pseudospikelets 2–3.5 × 0.4–0.5 mm	Pseudospikelets 2–3.5 × 0.4–0.5 cm
22: 35	<i>Bambusa odashimae</i>	Hatusima, Fl. Okinawa, rev. ed., 128. 1967.	Hatusima ex Ohrnberger, Bamboos World, 271. 1999.
22: 38	<i>Bambusa xueana</i>	lemmas ca. 14 × 1.1 cm	lemmas ca. 14 × 1.1 mm
22: 52	<i>Schizostachyum dumetorum</i>	Munro	Munro in Seemann
22: 136	<i>Indocalamus sinicus</i>	synonym: <i>A. wightii</i> Nees ex Bentham	[delete: synonym <i>A. wightii</i> Nees ex Bentham orth. var. for <i>A. wightiana</i>]
22: 144	<i>Indosasa shibataeoides</i>	misapplied name	<i>Indosasa acutiligulata</i> Z. P. Wang & G. H. Ye, J. Nanjing Univ., Nat. Sci. Ed. 1981(1): 100. 1981.
22: 169	<i>Phyllostachys nuda</i>	Inflorescence not known.	[delete this sentence]
22: 219	<i>Melica schuetzeana</i>	Feddes Repert.	Repert. Spec. Nov. Regni Veg.
22: 220	<i>Melica taylorii</i>	Feddes Repert.	Repert. Spec. Nov. Regni Veg.
22: 228	<i>Festuca modesta</i>	1000–3600 mm	1000–3600 m
22: 239	<i>Festuca cumminsii</i>	leaf blades (1.5–)5–10(–14) × 0.2–0.4 mm	leaf blades (1.5–)5–10(–14) cm × 0.2–0.4 mm
22: 249	<i>Puccinellia tenuissima</i>	Panicle 5–1.2 cm	Panicle 5–12 cm
22: 254	<i>Puccinellia hackeliana</i>	Fl. 7–8	Fl. Jul–Aug
22: 280	<i>Poa qinghaiensis</i>	culms (5–)15–55	culms (5–)15–55 cm
22: 282	<i>Poa remota</i>	blade 3–11 mm	blade 3–11 cm
22: 302	<i>Poa faberi</i>	Shaanxi, Shanxi	Shaanxi
22: 387	<i>Leymus</i>	11 endemic	12 endemic
22: 440	<i>Eremopyrum</i>	1a. Spikelets villous or hairy; 1b. Spikelets glabrous or scabrous	1a. Spikelets glabrous or scabrous; 1b. Spikelets villous or hairy
22: 465	<i>Orinus kokonorica</i>	(K. S. Hao) Keng ex X. L. Yang, Fl. Reipubl. Popularis Sin. 10(1): 40. 1990.	(K. S. Hao) Tzvelev, Rast. Tsentr. Azii 4: 112. 1968.
22: 469	<i>Tripogon yunnanensis</i>	comment: by J. L. Yang (Acta Bot. Yunnan. 5: 51. 1981)...	comment: by J. L. Yang (Acta Bot. Yunnan. 5: 51. 1983)...

Volume: page	Taxon	Error	Correction or addition
22: 482, 483	<i>Sporobolus piliferus</i>	<i>piliferus</i>	<i>pilifer</i>
22: 543	<i>Digitaria ciliaris</i>	Guanxi	Guangxi
22: 574	<i>Spodiopogon bambusoides</i>	comb. nov. is an isonym	Novon 15: 468. 2005.
22: 597	<i>Microstegium ciliatum</i> and <i>M. fasciculatum</i>	both have <i>A. formosanus</i> var. minor listed in synonymy.	
22: 598	<i>Apocopis paleaceus</i>	synonym: <i>Apocopis hialayensis</i>	synonym: <i>Apocopis himalayensis</i>
22I: 186	<i>Indosasa shibataeoides</i>	<i>Indosasa shibataeoides</i> McClure	<i>Indosasa acutiligulata</i> Z. P. Wang & G. H. Ye
22I: 686	<i>Sporobolus piliferus</i>	<i>piliferus</i>	<i>pilifer</i>
23: 104	Aponogetonaceae	One species: widely distributed ...	One genus with 40–50 species: widely distributed ... (see Bruggen, H. W. E. van. 1985. Monograph of the genus <i>Aponogeton</i> (Aponogetonaceae). Bibliotheca Botanica, Heft 137. Stuttgart: E. Schweizerbart'sche Verlagsbuchhandlung; Les, D. H., M. L. Moody & S. W. L. Jacobs. 2005. Phylogeny and Systematics of <i>Aponogeton</i> (Aponogetonaceae): The Australian Species. Syst. Bot. 30: 503–519).
23: 213	<i>Fimbristylis polytrichoides</i>	(Retzius) Vahl, Enum. Pl. 2: 248. 1805.	(Retzius) R. Brown, Prodr. Fl. Nov. Holland. 226. 1810.
23: 244	<i>Pycrus flavidus</i> var. <i>strictus</i>	synonym: <i>Cyperus strictus</i> Roxburgh, Fl. Ind. 1: 203. 1820, not Lamarck (1791)	basionym: <i>Cyperus globosus</i> var. <i>strictus</i> C. B. Clarke, J. Linn. Soc., Bot. 20: 280. 1883.
23: 244	<i>Pycrus flavidus</i> var. <i>strictus</i>	C. Y. Wu ex Karthikeyan	(C. B. Clarke) Karthikeyan
23: 421, 424, 491	<i>Carex caespitosa</i>	<i>caespitosa</i>	<i>cespitoso</i>
23: 424	<i>Carex caespitosa</i>	• Marshes, wet places. Heilongjiang, Jilin.	Marshes, wet places. Heilongjiang, Jilin, Nei Mongol, Qinghai, Shaanxi, Xinjiang [Japan, Kazakhstan, Korea, Mongolia, Russia, Turkmenistan; SW Asia (Caucasus, Turkey); Europe].
23: 456	<i>Carex kobomugi</i>	Qinghai	delete Qinghai
23I: 558	<i>Carex cespitosa</i>	<i>caespitosa</i>	<i>cespitoso</i>
24: ii, 73	Liliaceae	family authors: ... Minoru N. Tamura	family authors: ... Minoru N. Tamura, Rudolf V. Kamelin, Tetsuo Koyama, Nicholas J. Turland, Helen V. Mordak, Kamilla G. Tamanian, Victor G. Soukup, Hiroshi Takahashi, Shoichi Kawano, Junko Noguchi, David E. Boufford, Michael G. Gilbert
			[Footnotes for author addresses (pp. 77, 82, 88, 96, 123, 160, 161, 165, 204, 208, 217) should be on p. 73.]
24: 92	<i>Paris undulata</i>	free portion of connective cylindric, 1.1–1.5 mm	free portion of connective cylindric, 1.1–1.5 cm

Volume: page	Taxon	Error	Correction or addition
24: 95	<i>Trillium kamtschaticum</i>	<i>kamtschaticum</i> Pallas ex Pursh, Fl. Amer. Sept. 1: 245. 1814.	<i>camschatcense</i> Ker Gawler, Bot. Mag. 22: sub t. 855. 1805. Synonym: <i>T. kamtschaticum</i> Pallas ex Miyabe (1814).
24: 109	<i>Smilax jiankunii</i>	stem ... 4–5 mm	stem ... 4–5 m
24: 138	<i>Lilium tsingtauense</i>	Gilg.	Gilg
24: 141	<i>Lilium pinifolium</i>	Bulb ... 3–3.5 in diam.	Bulb ... 3–3.5 cm in diam.
24: 142	<i>Lilium rosthornii</i>	Ovary ... 1.5–2 × ca. 2 mm	Ovary ... 1.5–2 cm × ca. 2 mm
24: 145	<i>Lilium fargesii</i>	scales ... 1.5–2 × ca. 6 mm	scales ... 1.5–2 cm × ca. 2 mm
24: 147	<i>Lilium wenshanense</i>	Tepals ... ca. 1.8 × 2.5 cm	Tepals ... ca. 18 × 2.5 cm
24: 153	<i>Tricyrtis latifolia</i>	Stem 40–100 m	Stem 40–100 cm
24: 182	<i>Allium leucocephalum</i>	<i>Allium leucocephalum</i> Turczaninow	<i>Allium leucocephalum</i> Turczaninow ex Vvedensky in Komarov, Fl. URSS 4: 146. 1935.
24: 242	<i>Aspidistra fasciaria</i>	22b. Leaf blade... 2.5–3.0 × 4.5–5.5 cm	22b. Leaf blade ... 50–60 × 2.5–4.5 cm
24: 243	<i>Aspidistra fasciaria</i>	Perianth 1.5–2.5 mm wide	Perianth 15–25 mm wide
24: 243	<i>Aspidistra fasciaria</i>	tube 1.2–1.5 mm wide	tube 12–15 mm wide
24: 280	<i>Dioscorea tokoro</i>	• endemic	addition to distribution: Japan, Korea
24: 282	<i>Dioscorea tenuipes</i>		addition to distribution: Korea
24: 310	<i>Iris potaninii</i>	inner segments ... 2.5–3 × 8–10 mm	inner segments ... 2.5–3 cm × 8–10 mm
24: 341	<i>Alpinia flabellata</i>	Panicles ... branches 9–7 cm	Panicles ... branches 0.9–7 cm
24I: 80	<i>Trillium kamtschaticum</i>	<i>kamtschaticum</i> Pallas ex Pursh	<i>camschatcense</i> Ker Gawler
24I: 186	<i>Allium leucocephalum</i>	Turczaninow	Turczaninow ex Vvedensky
25: 477	<i>Saccolabiopsis taiwaniana</i>	S. W. Chung & T. C. Hu	S. W. Chung, T. C. Hu & T. Yukawa
25: 502	<i>Holcoglossum nuijiangense</i>	X. H. Jin & H. Li	X. H. Jin & S. C. Chen
25I: 637	<i>Holcoglossum nuijiangense</i>	X. H. Jin & H. Li	X. H. Jin & S. C. Chen